

# **Department of Defense Standardization Program**



## **ASSIST UPDATE**

**(A bi-monthly summary of changes to the ASSIST document database)**

**1 June 2010**

**(For the Period 15 May 2010 to 31 May 2010)**

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-70775B(2)	Cartridge, 25MM: Target Practice, Discarding Sabot with Trace (TPDS -T)- M910 [CUST: AR]	D	1305		AR	03-MAY-2010
M	MIL-PRF-71208A	Cartridge, 5.56MM, Armor Piercing - M995 [CUST: AR]	A	1305		AR	24-MAY-2010
M	QML-6117 NOT 1	Wire Rope Assemblies, Aviation, Swaged Type (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1640		GS5	26-MAY-2010
M	F-F-351/7A NOT 2	Filter Elements, Fluid Pressure-Oil, Full Flow [CUST: AT SH 99] [REVIEW: 70 CC MC]	A	2940	/	AT	21-MAY-2010
M	MIL-PRF-62413B	Speed Pickup, Magnetic (Metric) [CUST: AT]	A	2990		AT	19-MAY-2010
M	A-A-59174 NOT 2	Press, Arbor, Mechanical, Hand Operated [CUST: AR SH 99 GS6] [REVIEW: 84 YD]	A	3444	/	GS6	21-MAY-2010
M	MIL-PRF-51527C	Filter Set, Gas-Particulate, 200CFM, M98 [CUST: EA SH 99] [REVIEW: IS MR]	X	4240		EA	21-MAY-2010
N	A-A-59867	Harness, Safety, Full Body, Crossover [CUST: EA SH 99] [REVIEW: 03 84 AS TE]	A	4240	/	SH	17-MAY-2010
M	MS39133G	Adapter, Straight, Pipe to Hose-Automotive Air Brake Hose [CUST: AT SH 99 CC] [REVIEW: 71 AR EA MC SA]	A	4730		CC	24-MAY-2010
M	MS39134F	Spring, Helical, Compression, Automotive Air Brake Hose Adapter [CUST: AT SH 99 CC] [REVIEW: 71 AR EA MC SA]	A	4730		CC	24-MAY-2010
M	MS39135G	Nut, Hose Coupling, Automotive Air Brake Hose Adapter [CUST: AT SH 99 CC] [REVIEW: 71 AR EA MC SA]	A	4730		CC	24-MAY-2010
M	MS39136G	Sleeve, Compression, Tube-Hose Fitting-Automotive Air Brake Hose Adapter [CUST: AT SH 99 CC] [REVIEW: 71 AR EA MC SA]	A	4730		CC	24-MAY-2010
M	MS39137H	Adapter Body, Automotive Air Brake [CUST: AT SH 99 CC] [REVIEW: 71 AR EA MC SA]	A	4730		CC	24-MAY-2010
M	A-A-59377A NOT 2	Coupling Assembly, Quick-Disconnect, Sexless Type [CUST: AT SH 99] [REVIEW: CC]	A	4730	/	AT	21-MAY-2010
M	A-A-59237A	Composite Repair Set, Aircraft (Dual Zone) [CUST: 84] [REVIEW: 99]	A	4920	/	84	11-MAY-2010
M	A-A-59271A	Composite Repair Set, Aircraft (Single Zone, Class 1 Div 2) [CUST: 84] [REVIEW: 99]	A	4920	/	84	11-MAY-2010
N	QPL-AS5768 NOT 1	Tool, Stripper, Electrical Insulation, General Specification for	A	5120		AS	26-MAY-2010
M	QPL-12934-53	Resistor, Variable, Wire Wound, Precision, General Specification for	A	5905		CC	17-MAY-2010
M	MIL-PRF-39019F	Circuit Breakers, Magnetic, Low-Power Sealed, Trip-Free General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI NA]	A	5925		CR	14-MAY-2010
M	MIL-PRF-39019/1H	Circuit Breakers, Magnetic, Low-Power, Sealed, Trip-Free One-Pole [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI]	A	5925		CR	14-MAY-2010
M	MIL-PRF-39019/2H	Circuit Breakers, Magnetic, Low-Power, Sealed, Trip-Free One-Pole, Auxiliary Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI]	A	5925		CR	14-MAY-2010
M	MIL-PRF-39019/3H	Circuit Breakers, Magnetic, Low-Power, Sealed, Trip-Free Two-Pole [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI]	A	5925		CR	14-MAY-2010
M	MIL-PRF-39019/4H	Circuit Breakers, Magnetic, Low-Power, Sealed, Trip-Free Two-Pole, Auxiliary Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI]	A	5925		CR	14-MAY-2010
M	MIL-PRF-39019/5H	Circuit Breakers, Magnetic, Low-Power, Sealed, Trip-Free Three-Pole [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI]	A	5925		CR	14-MAY-2010
M	MIL-PRF-39019/6H	Circuit Breakers, Magnetic, Low-Power, Sealed, Trip-Free Three-Pole, Auxiliary Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI]	A	5925		CR	14-MAY-2010
M	MS27718G(1)	Switch, Toggle, Miniature Single Pole, Toggle Seal [CUST: CR EC 85 CC] [REVIEW: 99 AV]	A	5930		CC	20-MAY-2010
M	MS27753G(1)	Switch, Toggle, Miniature, Double Pole, Toggle Seal [CUST: CR AS 85 CC] [REVIEW: 99 AV EA EC]	A	5930		CC	20-MAY-2010
M	MIL-PRF-39012/2H(2)	Connectors, Plugs and Receptacles, Electrical, Coaxial, Radio Frequency, (Series TNC (Cabled), Flange Mounted, Socket Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	04-MAY-2010
M	MIL-PRF-39012/3H(1)	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency (Series N (Cabled), Jam Nut Mounted, Socket Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	04-MAY-2010
M	MIL-PRF-39012/5H(1)	Connectors, Plug, Electrical, Coaxial, Radio Frequency (Series N (Cabled), Right Angle, Pin Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	04-MAY-2010
M	MIL-PRF-39012/79G(1)	Connectors, Plug, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled) Pin Contact, Class 2, Semirigid Cable [CUST: CR EC 85 CC] [REVIEW: 19 99 AM AS AT AV MC MI OS SA SH]	A	5935		CC	04-MAY-2010
M	MIL-PRF-39012/80F(1)	Connectors, Plug, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled) Pin Contact, Right Angle, Class 2, Semirigid Cable [CUST: CR EC 85 CC] [REVIEW: 19 99 AM AS AT AV MC MI OS SA SH]	A	5935		CC	04-MAY-2010
M	MIL-PRF-39012/81G(1)	Connectors, Plug, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled, Semirigid) - Socket Contact, Class 2 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	04-MAY-2010
M	MIL-PRF-39012/82G(1)	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled, Semirigid), Flange Mounted - Socket Contact, Class 2 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	04-MAY-2010
M	MIL-PRF-39012/83G(1)	Connectors, Plug, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled, Semirigid) - Jam Nut Mounted, Socket Contact, Class 2 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	04-MAY-2010
M	MIL-DTL-21097/11J NOT 1	Connectors, Electrical, Printed Wiring Board Keys, Polarizing [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	26-MAY-2010
M	MIL-DTL-21097/13C NOT 1	Connectors, Electrical, Printed Wiring Board Composite, Receptacle, Contact Spacing: 0.200, Alternate Dual Row, Type CR, Removable Contact [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	26-MAY-2010
M	MIL-DTL-21097/16F NOT 1	Connectors, Electrical, Printed Wiring Board Contact, Crimp, Removable, Type CR [CUST: CR EC 85 CC] [REVIEW: AR AS AT CR4 MC MI OS]	A	5935		CC	26-MAY-2010
M	MIL-DTL-21097/17E NOT 1	Connectors, Electrical, Printed Wiring Board Contact, Solder, Removable, Type CR [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV CR4 MC MI OS]	A	5935		CC	26-MAY-2010
M	MIL-DTL-21097/18D NOT 1	Connectors, Electrical, Printed Wiring Board Tool, Contact, Removal, for Type CR Connector Contacts [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	26-MAY-2010
M	MIL-DTL-21097/19D NOT 1	Connectors, Electrical, Printed Wiring Board Blade Simulator for Measuring Engagement and Separation Forces for Type CR Contacts [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	26-MAY-2010
M	MIL-DTL-83723/97C	Connectors, Electrical, (Circular, Environment Resisting), Plug, (Threaded Coupling, Self-Locking, R.F.I. Grounding, Crimp Socket Contacts), (Series III, Classes N and S Firewall) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI]	A	5935		CC	21-MAY-2010
M	MIL-DTL-83723/98C	Connectors, Electrical, (Circular, Environment Resisting), Plug, (Threaded Coupling, Self-Locking, R.F.I. Grounding, Crimp Pin Contact), (Series III, Classes N and S Firewall) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI]	A	5935		CC	21-MAY-2010

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	QPL-18148-9 NOT 1	Plug, Electric, Aircraft Storage Battery (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		AS	26-MAY-2010
N	SAE-AS85049/138	Connector Accessories, Electrical, Cap, Dust, Plastic, Category 9 [CUST: CR AS 99] [REVIEW: AR AV]	A	5935		AS	17-MAY-2010
M	MIL-PRF-83726/28G	Relays, Hybrid, Time Delay (on Operate), Class B, Type I, Hermetically Sealed, DPDT, 10 Amperes, Fixed Time, 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945		CC	17-MAY-2010
M	QPL-55310-72	Oscillator, Crystal Controlled, General Specification for	A	5955		CR	19-MAY-2010
M	MIL-PRF-19500/124K	Semiconductor Device, Diode, Silicon, Voltage Regulator Types 1N2970B through 1N2977B, 1N2979B, 1N2980B, 1N2982B, 1N2984B through 1N2986B, 1N2988B through 1N2993B, 1N2995B, 1N2997B, 1N2999B through 1N3005B, 1N3007B, 1N3008B, 1N3009B, 1N3011B, 1N3012B, 1N3014B, 1N3015B, Plus RB Types, 1N3993A through 1N3998A, and RA Types, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	17-MAY-2010
M	MIL-PRF-19500/127V	Semiconductor Devices, Diode, Silicon, Voltage Regulator, Types 1N4370A-1 through 1N4372A-1 and 1N746A-1 through 1N759A-1, 1N4370AUR-1 through 1N4372AUR-1 and 1N746AUR-1 through 1N759AUR-1, 1N4370C-1 through 1N4372C-1 and 1N746C-1 through 1N759C-1, 1N4370CUR-1 through 1N4372CUR-1 and 1N746CUR-1 through 1N759CUR-1, 1N4370D-1 through 1N4372D-1 and 1N746D-1 through 1N759D-1, 1N4370DUR-1 through 1N4372DUR-1 and 1N746DUR-1 through 1N759DUR-1, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	18-MAY-2010
M	MIL-PRF-19500/301K	Semiconductor Device, Transistor, NPN Silicon, Low-Power, Type 2N918 and 2N918UB, JAN, JANTX, JANTXV and JANS, JANHC, JANKC and JANHCB [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SH]	A	5961		CC	24-MAY-2010
M	MIL-PRF-19500/543L	Semiconductor Device, Field Effect Transistors, N-Channel, Silicon Repetitive Avalanche, Types 2N6764, 2N6764T1, 2N6766, 2N6766T1, 2N6768, 2N6768T1, 2N6770, and 2N6770T1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 99 AR MI]	A	5961		CC	17-MAY-2010
M	MIL-PRF-19500/702C	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7482T3, 2N7483T3, and 2N7484T3, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	21-MAY-2010
M	MIL-PRF-19500/749B	Semiconductor Device, Field Effect Transistor, P-Channel Radiation Hardened (Total Dose and Single Event Effects), Silicon, Types 2N7506U8 and 2N7506U8C, JANTXVR, JANTXVF, JANSR and JANSF [CUST: CR EC 85 CC NA]	A	5961		CC	21-MAY-2010
M	MIL-PRF-19500/753A	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7580T1, 2N7582T1, 2N7584T1, and 2N7586T1, JANTXVR, JANTXVF, JANSR, and JANSF [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	19-MAY-2010
N	MIL-PRF-19500/755	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7588T3, 2N7590T3, 2N7592T3 and 2N7594T3, JANTVR, JANTXVF, JANSR and JANSF [CUST: CR EC 85 CC NA]	A	5961		CC	19-MAY-2010
M	MIL-M-38510/117C NOT 1	Microcircuits, Linear, Adjustable, Positive, Voltage Regulators, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-MAY-2010
M	MIL-M-38510/118B NOT 1	Microcircuits, Linear, Adjustable, Negative, Voltage Regulators, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-MAY-2010
M	MIL-M-38510/125B NOT 1	Microcircuits, Linear, Sample and Hold Circuits, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	26-MAY-2010
M	MIL-PRF-26542/1E(1) NOT 1	Microphone and Microphone Assemblies, M26542/1, M26542/1-01 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS]	A	5965		CC	26-MAY-2010
M	MIL-PRF-26542/11B(1) NOT 1	Microphone and Microphone Assembly, M26542/11, and M26542/11-01 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS]	A	5965		CC	26-MAY-2010
M	QPL-AS20708-1 NOT 1	Synchros, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5990		AS	26-MAY-2010
M	MIL-PRF-31032/1C	Printed Wiring Board, Rigid, Multilayered, Thermosetting Resin Base Material, with or without Blind and Buried Plated-through Holes, for Soldered Part Mounting [CUST: CR EC 85 CC] [REVIEW: 99 CG MI]	A	5998		CC	23-MAY-2010
M	MIL-PRF-31032/4B	Printed Wiring Board, Rigid Flex or Flexible, Multilayer, with Plated-through Holes, with or without Stiffeners, for Soldered Part Mounting [CUST: CR EC 85 CC] [REVIEW: 99 CG MI]	A	5998		CC	24-MAY-2010
M	MIL-PRF-32271/10A	Battery, Non-Rechargeable, Lithium [CUST: CR SH 99 CC] [REVIEW: 71 AS MC]	A	6135		CR	26-MAY-2010
M	MIL-DTL-13486/1D	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Single Conductor, Unshielded [CUST: AT SH 85 CC] [REVIEW: 71 84 99 AR CR MC]	A	6145		CC	21-MAY-2010
M	MIL-DTL-13486/2D	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Single Conductor, Shielded [CUST: SH 85 CC] [REVIEW: 71 84 99]	A	6145		CC	21-MAY-2010
M	MIL-DTL-13486/5C	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Multiple Conductors, Unshielded [CUST: SH 85 CC] [REVIEW: 71 84 99]	A	6145		CC	21-MAY-2010
M	MIL-DTL-13486/9C	Cable, Special Purpose, Electrical: Low-Tension, Heavy -Duty, Multiple Conductors, Unshielded [CUST: SH 85 CC] [REVIEW: 71 84 99]	A	6145		CC	21-MAY-2010
M	MIL-DTL-13486/10C	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Multiple Conductors, Unshielded [CUST: SH 85 CC] [REVIEW: 71 84 99]	A	6145		CC	21-MAY-2010
M	MIL-DTL-13486/12C	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Multiple Conductors, Unshielded [CUST: SH 85 CC] [REVIEW: 71 84 99]	A	6145		CC	21-MAY-2010
M	MIL-DTL-13486/13D	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Multiple Conductors, Shielded [CUST: SH 85 CC] [REVIEW: 71 84 99]	A	6145		CC	21-MAY-2010
M	MIL-DTL-13486/15C	Cable, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Single Conductor, Unshielded [CUST: SH 85 CC] [REVIEW: 71 84 99 AR CR MC OS]	A	6145		CC	21-MAY-2010
M	MIL-DTL-25866C	Light, Emergency Exit, Aircraft LEU-1/A [CUST: AV 99 GS] [REVIEW: 71]	A	6220		GS2	24-MAY-2010
M	QPL-6363-5 NOT 1	Lamps, Incandescent, Aircraft Service, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6240		AS	26-MAY-2010
M	QPL-22075-17 NOT 3	Indicator, Bearing-Distance-Heading ID 663D/U (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6605		AS	26-MAY-2010
M	A-A-51461C NOT 2	Test Kit, Test Strips and Color Chart, Antifreeze, Freeze Point and Nitrite Concentration [CUST: AT MS] [REVIEW: DM MB]	A	6630	/	AT	21-MAY-2010
M	A-A-59309 NOT 2	Tester, Torque Wrench [CUST: GL AS 99 GS1] [REVIEW: 84 AV CE MC OS]	A	6635	/	GS1	21-MAY-2010
M	MIL-PRF-32020A	Tester, Liquid Volumetric Positive Displacement Meter [CUST: 84] [REVIEW: 99 GS]	A	6680		84	17-MAY-2010
M	A-A-1818A NOT 1	Sodium Metasilicate, Technical [CUST: MR 68 GS3 MP] [REVIEW: 03 EA]	A	6810	/	GS3	21-MAY-2010
M	MIL-DTL-38741A NOT 2	Bromochlorodifluoromethane, Technical [CUST: 68]	A	6830		GS3	17-MAY-2010

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	MIL-DTL-53030C	Primer Coating, Epoxy, Water Based, Lead and Chromate Free [CUST: MR AS 11] [REVIEW: 84 99 CG MD1 MI SH]	A	8010			MR	19-MAY-2010
M	A-A-3139A	Adhesive, Resilient Flooring, (Water-Based) [CUST: 99] [REVIEW: 84]	A	8040		*	FAS	01-APR-2010
M	MIL-DTL-11589/82E	Ribbon, U.S. Marine Corps Reserve [CUST: IH NU] [REVIEW: CT MC]	A	8455			IH	24-MAY-2010
M	MIL-DTL-11589/84E	Ribbon, Award for Distinguished Achievement in Science, U.S. Navy [CUST: IH NU] [REVIEW: CT MC]	A	8455			IH	24-MAY-2010
M	MIL-DTL-11589/87F	Ribbon, Combat and Expert Medical, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/88G	Ribbon, Meritorious Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/89F	Ribbon, Meritorious Civilian Service Award, Office of the Secretary of Defense [CUST: IH] [REVIEW: CT]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/90F	Ribbon, Meritorious Civilian Service Award, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455			IH	24-MAY-2010
M	MIL-DTL-11589/92E	Ribbon, Meritorious Unit Commendation, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/95E	Ribbon, Mexican War [CUST: IH NU] [REVIEW: CT MC]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/96E	Ribbon, Military Order of William [CUST: IH] [REVIEW: CT]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/98F	Ribbon, U.S. Naval Reserve Medal [CUST: IH] [REVIEW: CT NU]	A	8455			IH	24-MAY-2010
M	MIL-DTL-11589/100G	Ribbon, Commendation Medal, U.S. Navy and U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455			IH	24-MAY-2010
M	MIL-DTL-11589/101E	Ribbon, Navy Cross [CUST: IH NU] [REVIEW: CT MC]	A	8455			IH	24-MAY-2010
M	MIL-DTL-11589/102G	Ribbon, Distinguished Service Medal, U.S. Navy and U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455			IH	24-MAY-2010
M	MIL-DTL-11589/103F	Ribbon Expeditionary Medal, U.S. Navy [CUST: IH NU] [REVIEW: CT]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/104E	Ribbon, Expert Pistol Shot, U.S.Navy [CUST: IH NU] [REVIEW: CT]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/105E	Ribbon, Expert Rifleman, U.S. Navy [CUST: IH NU] [REVIEW: CT]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/106E	Ribbon, U.S. Navy and U.S. Marine Corps Medal [CUST: IH NU] [REVIEW: CT MC]	A	8455			IH	31-MAY-2010
M	MIL-DTL-11589/629A	Ribbon, National Intelligence Exceptional Achievement Medal, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455			IH	24-MAY-2010
M	MIL-DTL-11589/630A	Ribbon, Intelligence Community Expeditionary Service Medal, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455			IH	24-MAY-2010
M	A-A-20099C	Worcestershire Sauce [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8950		/	SS	29-MAR-2010
M	MIL-STD-1839D	Calibration and Measurement Requirements [CUST: MI OS 36] [REVIEW: 11 13 19 AR AS AT AV CR EC MC NM SH TD TM] [AMSC: F9117]	A	QCIC			36	12-MAY-2010
M	MIL-HDBK-189B NOT 1	Reliability Growth Management [CUST: SY EC 11] [REVIEW: CR]	A	SESS			SY	17-MAY-2010
N	DI-TMSS-81810	Technical Manual Organization Plan (TMOP) [AMSC: N9133]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81811	Technical Manual Cost Report [AMSC: N9134]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81812	Technical Manual Schedule and Status Report [AMSC: N9135]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81813	Technical Manual Book Plan [AMSC: N9136]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81814	Interactive Electronic Technical Manual (IETM) Content Plan [AMSC: N9137]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81815	Commercial Off-The-Shelf (COTS) Manuals [AMSC: N9138]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81816	Commercial Off-The-Shelf (COTS) Manual Supplemental Data [AMSC: N9139]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81817	Technical Manual Quality Assurance (TMQA) Program Plan [AMSC: N9140]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81818	Technical Manual Validation Plan [AMSC: N9141]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81819	Technical Manual Validation Certificate [AMSC: N9142]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81820	Technical Manual Verification Discrepancy/Disposition Record [AMSC: N9143]	A	TMSS			SH	25-MAY-2010
N	DI-TMSS-81821	Technical Manual Verification Incorporation Certificate [AMSC: N9144]	A	TMSS			SH	25-MAY-2010

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS16993C	Plug, Fusible, Refrigerant - 12 [CUST: GL YD 99 IS] [REVIEW: MD MI]	A	5340	IS		17-MAY-2010
M	MS21106B	Clamp, Loop, Cushioned, 1200 Degrees F, Cres Type IV, Class B [CUST: AV AS 99 IS]	A	5340	IS		20-MAY-2010
M	MIL-DTL-14522E	Components, Prefabricated Strong Room, Portable: for Small Arms and Equipment [CUST: GL 99 IS] [REVIEW: AV]	A	5450	IS		17-MAY-2010
M	MIL-S-22885/1J	Switch, Push Button, Illuminated Lenses (Screw-In, T-1-3/4 MFB Lamp) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5930	CC		11-MAY-2010
M	MIL-DTL-21097/2F NOT 1	Connectors, Electrical, Printed Wiring Board Composite, Receptacle, Contact Spacing (.200) Single Row, Type CR [CUST: CR EC 85 CC] [REVIEW: AR AS AT AV MC MI OS SH]	A	5935	CC		26-MAY-2010
M	MIL-M-38510/8F NOT 1	Microcircuits, Digital, Bipolar, TTL, Buffers/Drivers Open Collector Output, High Voltage, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		26-MAY-2010
M	MIL-M-38510/22D NOT 1	Microcircuits, Digital, Bipolar, High-Speed TTL, Flip-Flops, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		26-MAY-2010
M	MIL-M-38510/35C NOT 1	Microcircuits, Digital, Clock Drivers, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		26-MAY-2010
M	MIL-M-38510/155C NOT 1	Microcircuits, Digital, TTL, High Speed, and Gates Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		26-MAY-2010
M	MIL-DTL-28875/5A NOT 2	Amplifiers, Radio-Frequency and Microwave, Solid-State, Low Noise, Wideband, to Configuration [CUST: CR EC 85 CC] [REVIEW: 99 AS AV MC OS SH]	A	5996	CC		20-MAY-2010
M	MIL-DTL-28875/12A NOT 2	Amplifiers, Radio-Frequency and Microwave, Solid-State, Wideband, Low Profile, to Configuration [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5996	CC		20-MAY-2010
M	MIL-DTL-52286D SUP 1	Cable Assemblies, Power, Electrical (with Molded on Terminations), General Specifications for [CUST: CR4 GS] [REVIEW: AT]	A	6150	GS8		18-MAY-2010
M	MIL-DTL-52286/1C	Cable Assembly, Power, Electrical, 2 Conductor, 100 Feet Long, Oval Terminations with 2-Pole Connector Plug [CUST: CR4 GS] [REVIEW: AT]	A	6150	GS8		18-MAY-2010
M	MIL-DTL-52286/2C	Cable Assembly, Power, Electrical, 2 Conductor, 20 Feet Long, Oval Terminations, with Three 2-Pole Connectors [CUST: CR4 GS] [REVIEW: AT]	A	6150	GS8		18-MAY-2010
M	MIL-DTL-52286/3C	Cable Assembly, Power Electrical, Light Extension [CUST: CR4 GS] [REVIEW: AT]	A	6150	GS8		18-MAY-2010
M	MIL-DTL-52286/6A	Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT]	A	6150	GS8		18-MAY-2010
M	MIL-DTL-52286/7B	Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT]	A	6150	GS8		18-MAY-2010
M	MIL-DTL-52286/18A	Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT]	A	6150	GS8		18-MAY-2010
M	MIL-DTL-52286/21A	Cable Assembly, Power, Electrical, Adapter [CUST: CR4 GS] [REVIEW: AT]	A	6150	GS8		18-MAY-2010
M	MIL-DTL-52286/22A	Cable Assembly, Power Electrical, Adapter [CUST: CR4 GS] [REVIEW: AT]	A	6150	GS8		18-MAY-2010
M	MS90308C NOT 1	Light Indicator, Subminiature, Relampable [CUST: AS GS2] [REVIEW: IS]	A	6210	GS2		17-MAY-2010
M	MIL-P-7788F(1) NOT 2	Panels, Information, Integrally Illuminated [CUST: AV AS 99 GS]	A	6220	GS2		17-MAY-2010
M	MS28925D NOT 2	Light, Signal, Hand Held, 4-1/2 Inch [CUST: CR4 AS GS2] [REVIEW: IS]	A	6220	GS2		19-MAY-2010
M	MIL-DTL-9320E	Signal, Warning, Audible, for Headset, Type MA-1 [CUST: AV AS 99 GS] [REVIEW: 11 71]	A	6340	GS2		07-MAY-2010
M	MIL-DTL-3691E(2)	Dye Mix, Violet [CUST: EA OS] [REVIEW: GS]	A	6820	EA		06-APR-2010
M	MIL-PRF-28000B NOT 1	Digital Representation for Communication of Product Data: IGES Application Subsets and IGES Application Protocols [CUST: CR OM 16 DC3] [REVIEW: 02 11 13 19 33 93 AC AR AS AT CG CH DC1 DH DI DOE EC GPO IR MC MI NCS ND NS PT SO TD TM US]	A	IPSC	DC3		22-APR-2010
M	MIL-PRF-28001C NOT 1	Markup Requirements and Generic Style Specification for Exchange of Text and Its Presentation [CUST: TM OM 16 DC3] [REVIEW: 02 11 13 19 33 70 93 AC AS AT CH DC1 DI DOE EC GPO IR MC MI NCS ND NM NS PT SE SO TD TM]	A	IPSC	DC3		22-APR-2010
M	MIL-PRF-28002C NOT 1	Raster Graphics Representation in Binary Format, Requirements for [CUST: CR OM 16 DC1] [REVIEW: 02 11 13 19 33 93 AC AR AS AT CG CH DC1 DI EC GPO IR MC MI NCS ND PT SE SO TD TM]	A	IPSC	DC1		22-APR-2010
M	MIL-PRF-28003B NOT 1	Digital Representation for Communication of Illustration Data: CGM Application Profile [CUST: CR OM 16 DC3] [REVIEW: 02 11 13 19 33 93 AC AR AS AT CG CH DC1 DH DI DOE EC GPO IR MC MI NCS ND NIST NS PT SO TD TM US]	A	IPSC	DC3		22-APR-2010
M	MIL-STD-1840C NOT 1	Automated Interchange of Technical Information [CUST: CR OM 16 DC3] [REVIEW: 02 11 13 19 33 93 AC AS AT CG CH DC1 DI DOE EC GPO IR MC MI NCS ND NS PT SE SO TD TM US]	A	IPSC	DC3		22-APR-2010

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS35883C NOT 2	Valve, Packless, Stop,-Three-Way Flare Connection Ends (No S/S Document) [CUST: GL SH 99 IS] [REVIEW: CR4 MC]	A	4130		IS	12-MAY-2010
M	MS90376E NOT 2	Cap, Dust, Plastic, Electric Connector (See Notice 2 for Replacement Information) [CUST: CR AS 99] [REVIEW: AR AV]	A	5340		AS	17-MAY-2010
M	MIL-DTL-43098/17 NOT 1	Medallion, Intelligence Community Seal, Office of the Director for National Intelligence (No S/S Document) [CUST: IH] [REVIEW: CT]	A	8455		IH	24-MAY-2010